



Ph 1300 305 912

www.genelite.com.au sales@genelite.com.au



People. Passion. Performance.



For Chicago Pneumatic, it isn't just about products. We value our endusers' and distributors' performance, and do our ultimate best to make it easy to work with us while providing reliable products with a passion.

- Broad product portfolio of robust compressors & tools
- Decades of experience & innovation
- 100% committed distributor partnership

This is how we keep you productive at all times, meeting the needs of professionals in vehicle service, general industry and construction around the globe.

People. Passion. Performance.



A differentiated offer matching your compressed air needs

Our piston portfolio covers a wide range of DIY and (semi-) professional needs, varying on technology, user comfort, and performance. Have a look at the matrix and define which range suits your needs best.

Technical characteristics

Occasional (plus)

1,5 - 3 hp

Air displ 180 - 340 l/min

Power size



Vessel size



Type name CPRA - CPRB

Applications

- Blowing
- Nailing & stapling
- Inflating
- Hobby painting
- Water spraying

Technology

Direct Driven

Intermittent use

Air displ

201 - 486 l/min

Power size

2 - 4 hp

10 bar

Vessel size

27 - 270 L

CPRC - CPRS

- Washing
- orbital sanding
- professional blowing
- professional screwing
- professional gravity painting
- impact and ratchet wrenchina

One Stage

Frequent use

Air displ. Power size

4 - 25 hp

Models up to 15 bar

514 - 2420 l/min

Vessel size

Up to 900 L

CPRD - CPRO - CPRS

 All professional service & repair

- Professional painting
- Bodv work

installations

- General torquing or wrenching.
- Dry air applications

Two Stage



DIRECT DRIVEN CPRA / CPRB Series 1 - 2,2 kW / 1,5 - 3 hp

CPRB 015PS



Flexibility and compactness

Short tasks to complete and small things to repair?
The direct driven oil lubricated compressors are suitable for all your DIY and small workbench applications.
They come in all kinds of compact configurations and

They come in all kinds of compact configurations and vessel sizes, providing top flexibility to match the demand of any customer. The oilless units are suitable for any smart car and home maintenance tasks. There are no risks of oil spilling, and you do not have to worry about complicated maintenance.



CPRAL30P



Easy to move

Large wheels providing easy movement.



Comfortable handling

Ergonomic and user friendly handling thanks to inclined gauges



Easy to carry

Light and compact and without oil



Stability

Twin tank with wide footprint and inflatable rubber wheels.



No oil spillage

CPRB units do not contain oil.







CPRB O20P CPRA GV VS





Technical Table		=		H i		0	*		olt/ ase*	Vessel Capacity** (Liter)					
		l/ min	cfm	Нр	kW	Bar		230 /S	400 /T	0L (P)	6L (P)	24L (M)	50L (M)	100L (M)	200L (M)
€	CPRB 015	180	6,4	1,5	1,0	8	Oil Free								
€	CPRB O20P	230	8,1	2,0	1,5	8	Oil Free								
€	CPRA L20	222	7,8	2,0	1,5	8	Lubricated								
€	CPRA L20P	240	8,5	2,0	1,5	10	Lubricated								
€	CPRA L30P	310	10,9	3,0	2,2	10	Lubricated								
€	CPRA GV34	340	12,0	3,0	2,2	10	Lubricated				11+11			90	
€	CPRA GV34	340	12,0	3,0	2,2	10	Lubricated						(V)		

All models are DOL

^{*} Volt/Phase: Single Phase 230V or Triphase 400V

 $^{^{\}star\star}$ Vessel: P (Portable) - M (Mobile on wheels) - V (Vertical)

Available configurations