



**Chicago
Pneumatic**



Piston compressors

People. Passion. Performance.

People. Passion. Performance.



For Chicago Pneumatic, it isn't just about products. We value our end-users' and distributors' **performance**, and do our ultimate best to make it **easy to work** with us while providing **reliable products with a passion**.

- **Broad product portfolio** of robust compressors & tools
- **Decades of experience & innovation**
- **100% committed** distributor partnership

This is how we keep you productive at all times, meeting the needs of professionals in vehicle service, general industry and construction around the globe.
People. Passion. Performance.



A differentiated offer matching your compressed air needs

Our piston portfolio covers a wide range of DIY and (semi-) professional needs, varying on technology, user comfort, and performance. Have a look at the matrix and define which range suits your needs best.

Technical characteristics		Applications	Technology
Use	Occasional (plus) use	<ul style="list-style-type: none"> • Blowing • Nailing & stapling • Inflating • Hobby painting • Water spraying 	Direct Driven
Air displ.	180 - 340 l/min		
Power size	1,5 - 3 hp		
Pressure	8 - 10 bar		
Vessel size	0 - 200 L		
Type name	CPRA - CPRB		
Use	Intermittent use	<ul style="list-style-type: none"> • Washing • orbital sanding • professional blowing • professional screwing • professional gravity painting • impact and ratchet wrenching 	One Stage
Air displ.	201 - 486 l/min		
Power size	2 - 4 hp		
Pressure	10 bar		
Vessel size	27 - 270 L		
Type name	CPRC - CPRS		
Use	Frequent use	<ul style="list-style-type: none"> • All professional service & repair installations • Professional painting • Body work • General torquing or wrenching. • Dry air applications 	Two Stage
Air displ.	514 - 2420 l/min		
Power size	4 - 25 hp		
Pressure	Models up to 15 bar		
Vessel size	Up to 900 L		
Type name	CPRD - CPRO - CPRS		



BASIC

- Light and compact
- Easy to carry or move
- Simple and straightforward use
- Reliable operation



ADVANCED

- Advanced userfriendliness
- Maximized multicomfort
- Increased performance
- Ultimate durability and efficiency
- Space saving with all in one offer



SILENT

- Silent performance for ultimate user comfort
- Flexible and user-friendly in operation
- Ideally suitable to install close to the workplace
- Strong and durable designs



Frequency of use & Type of application

Comfort Level

SILENT SINGLE & DUAL STAGE BELT DRIVE CPRS Series 1,5 - 7,5 kW / 2 - 10 hp



CPRS 327 NS12S



CPRS 10500 B7000

Silent performance for optimal operating comfort

While performance is always a given for our complete piston offer, sometimes the ultimate user comfort is also required. For situations where compressors are used extensively while being installed close to the workplace, our silent range offers an ideal match. Running at low speed, equipped with clear control panels and taking up only a limited amount of space, this range combines efficiency and userfriendliness.



Silent

Sound proof cabinet




East maintenance

Immediate access to all mechanical & electrical components



Ease of use

Clear indicators and userfriendly operations



Safety

Fire proof insulating foam and metal belt guard



Integrated solutions

Optimal air quality with tankmounted dryer



CPRS 6270 B5900B



Silent performance

1. Limited footprint with tankmounted all in one solution
2. Tankmounted dryer ensuring clean and dry air
3. Perfect control with userfriendly operating panel

Technical Table		⚡		🔧		🕒	Volt/Phase*		Start-up		Vessel Capacity** (L)				With Dryer (all 500L)
		l/min	cfm	Hp	kW	Bar	230 /S	400 /T	DOL	YD	0L (F)	27L (F)	270L (F)	500L (F)	
👉	CPRS NS12	255	9,0	2,0	1,5	10	■	■	■			■			
👉	CPRS NS12S	320	11,3	3,0	2,2	10	■	■	■			■			
👉	CPRS NS29S	514	19,2	4,0	3,0	11		■	■		■		■		
👉	CPRS B5900B	653	23,1	5,5	4,0	11		■	■	■	■		■	■	■
👉	CPRS B6000	827	29,2	7,5	5,5	11		■	■	■	■			■	■
👉	CPRS B7000	1210	42,7	10,0	7,5	11		■	■	■	■			■	■

All models are DOL

Pump names ending in S or B = with aftercooler

* Volt/Phase: Single Phase 230V or Triphase 400V

** Vessel: F (Fixed stationary)

■ Available configurations

Chicago Pneumatic: full offer, global presence



Industrial & vehicle service tools



Construction tools



Portable compressors and generators



Paving equipment



Industrial compressors



**Original parts.
Your quality assurance.**

DISTRIBUTED BY



Genelite Pty Ltd, 24 Perrin Place, Salisbury Qld 4107
ABN 40 095 032 385

Ph 1300 305 912

www.genelite.com.au
sales@genelite.com.au

6999610300

The 'original part' identification confirms that these components passed our strict test criteria. All parts are designed to match the compressor and are approved for use on the specified compressor. They have been thoroughly tested to obtain the highest level of protection, extending the compressors' lifetime and keeping the cost of ownership to an absolute minimum. No compromises are made on reliability. The use of 'original part' certified quality components helps ensure reliable operation and will not impact the validity of your warranty, unlike other parts. Look for your quality assurance.

www.cp.com